

# WALK-IN RESCUE



WHEN LIVES ARE IN THE BALANCE AND SECONDS COUNT

# WALK-IN RESCUE

## CAB:

Custom E-ONE Cyclone II and Typhoon

- Up to 8 seating positions
- Pass thru from cab to body on custom and commercial chassis
- Customize command center on 3-door cab
- Other commercial chassis available

## ROOF TOP:

- Light tower with deflector (available on cab roof)
- Bolt on storage boxes
- AC units
- Escape Hatch

## OTHER FEATURES:

- Awnings: electric or manual
- Underbody compartments
- Customized warning light packages
- Scene lights: tripod or truck mounted
- Camera packages

## FRONT BUMPER:

Up to a 26" extension, room for speakers, sirens, HRT or air reels, tool storage.



The E-ONE Walk-In Rescue provides the space first responders' need to efficiently store and utilize vital life-saving equipment.

With a wide center walkway, countertops and large compartments, the interior of the E-ONE Walk-In Rescue allows first responders a spacious area to safely control dangerous environments. The Walk-In Rescue is also available with optional features such as awnings, under body compartments, scene lighting, camera packages, generators and breathing air systems.

E-ONE engineers custom aluminum and stainless steel products that meet or exceed NFPA standards to protect individuals risking their lives serving others.

By providing a full line of both custom and commercial chassis, E-ONE meets first responder's needs without sacrificing safety or quality. Respond with more than a tool box on wheels – the E-ONE Walk-In Rescues.

## **BODY CONFIGURATIONS:**

16', 18', 20' and 22' body on a single axle, 24' and 26' on tandem axle in aluminum. 21' and 24' (tandem) in SS.

## **BODY:**

Proprietary extrusions of 6063-T5 with wall thicknesses of 3/16" to 3/8" and 3003-H14 aluminum plates work, 1/8" to 1/4" wall thickness. Stainless Steel: 10 and 12 GA formed SS.

## **REAR BODY:**

- 34" by 80" single-door body access
- Recessed steps

## **INTERIOR:**

- Center walkway: 34" wide AL, 42" wide SS. Lengths from 172" to 292"
- Ceiling height of 75" or 80"
- Counter height 48"
- Storage compartments above countertop
- Bench seat, riding positions with storage underneath.

## **LOWER BODY:**

- Compartments: 3', 4' or 5' width. Interior height of 70". Transverse compartments available on L1 / R1 only.
- Roll up or hinged doors
- Standard or LED compartment lighting

## **MAJOR OPTIONS:**

- Custom E-ONE PTO driven HRT system. 3, 4 or 6 tools systems. Compatible with most hydraulic rescue tools
- Breathing air systems: compressors, fill stations, air bottles / cascade system
- Generators: 5kW to 75kW, direct drive, hydraulic, diesel







Rear entry door, roof top access ladder.



Exterior compartments with rooftop access



Light tower on cab or body roof



Interior compartments with roll up doors and diamond plate countertop



Interior Walkway. Upper compartments with roll up doors



WHEN LIVES ARE IN THE BALANCE AND SECONDS COUNT